



E1400V




www.chambreлан.com/E1400


Acier zingué	Extension Totale	Français	2
Zinc plated steel	Total extension	English	3
Stahl silbern verzinkt	Vollauszüge	Deutsch	4
Pozinkovaná ocel	Plný výsuv	Český	5
Acero zincado	Extension Total	Español	6
Acciaio zincato	Estensione Totale	Italiano	7
Verzinkt staal	Geheel uittrekbaar	Nederlands	8
Оцинковка	Полное выдвижение	Русский	9
Stal ocynkowana	Wysuw pełny	Polski	10







— PROFILE :



— MATERIAL



- 1 — Inner beam : Steel
- 2 — Outer beam : Steel
- 3 — Bearing $\varnothing 4$: Steel
- 4 — Ball retainer : Plastic

- SURFACE FINISH : Zinc plating
- WEIGHT : 2.65 Kg/m
- OPTIONS :

Different slide lengths, extension, surface finish,
 $\varnothing$ and holes centres to customer's requirement.

DO NOT DISMOUNT THE SLIDE !

Do not modify the slides !



- Dimensions in mm
- * Loads indicated for a pair of slides

— Load in a major axis

— Load in a minor axis

— Results given according to our load testing protocol
(www.chambrelan.com)

Mounting on a minor axis(www.chambrelan.com/1018)

Production according our general manufacturing tolerances (www.chambrelan.com/1016)

E1400V	STEEL	
	19.09.2016	

L	350	400	450	500	550	600	650	700	750	800	850	900	950	1000
A	150	200	250	300										
B					150	175	200	225	250	275	300	325	350	375
C					200	225	250	275	300	325	350	375	400	425
D	350	400	450	500	550	600	650	700	750	800	850	900	950	1000

	Load* (Kg)	125	135	137	135	130	125	119	112	105	98	90	82	74	65
	Deflexion (mm)	7	8	10	11	12	13	14	15	16	18	20	22	23	25
	Load* (Kg)	24	25	25	23	21	20	19	17	15	13	12			
	Deflexion (mm)	6	7	9	10	12	13	14	15	15	16	16			

